Archives of

Microbiology

Founded in 1930 as Archiv für Mikrobiologie

WIVERSITY OF HAWAII LIBRARY

LIBRARY USE ONLY

Managing Editors

G. Drews, Freiburg i. Br.

H. G. Schlegel, Göttingen

Editors

G. Drews, Freiburg i. Br.

R. Emerson, Berkeley

K. Esser, Bochum

G. Gottschalk, Göttingen

A. A. Imshenetsky, Moskwa

C. B. van Niel, Pacific Grove

R. Nilsson, Uppsala

N. Pfennig, Göttingen

G. Piekarski, Bonn

S. C. Rittenberg, Los Angeles

C. F. Robinow, London (Can.)

H. G. Schlegel, Göttingen

R. Y. Stanier, Paris

H. Stolp, Hamburg

H. Tamiya, Tokyo

T. O. Wikén, Delft

J. F. Wilkinson, Edinburgh

H. Zähner, Tübingen

Volume 96 1974



The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. Der Verlag läßt diese Beträge den Autorenverbänden zufließen.

Die Wiedergabe von Gebrauchsnamen, Handelsnamen, Warenbezeichnungen usw. in dieser Zeitschrift berechtigt auch ohne besondere Kennzeichnung nicht zu der Annahme, daß solche Namen im Sinne der Warenzeichen- und Markenschutz-Gesetzgebung als frei zu betrachten wären und daher von jedermann benutzt werden dürften.

Springer-Verlag Berlin · Heidelberg · New York

Printed in Germany by Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden

© by Springer Verlag Berlin · Heidelberg 1974

Contents

Andreesen, J. R., El Ghazzawi, E., Gottschalk, G.: The Effect of Ferrous	
Ions, Tungstate and Selenite on the Level of Formate Dehydrogenase in	
Clostridium formicoaceticum and Formate Synthesis from CO2 during	
Pyruvate Fermentation	103
Arnold, C. G., s. Scherbel, G., et al	205
Behn, W., s. Scherbel, G., et al.	205
Borowitzka, L. J., Brown, A. D.: The Salt Relations of Marine and Halophilic	200
Species of the Unicellular Green Alga, Dunaliella. The Role of Glycerol as	
a Compatible Solute	37
a Compatible Solute	0.
Pyruvate: Ferredoxin Oxidoreductase from the Blue-Green Alga Anabaena	
culindrica	291
cylindrica. Brown, A. D., s. Borowitzka, L. J.	37
Burchard, R. P.: Growth of Surface Colonies of the Gliding Bacterium Myxo-	0.
coccus ranthus	247
coccus xanthus	267
Claus, D., Wilmanns, H.: Enrichment and Selective Isolation of Sarcina maxima	201
Lindner	201
Lindner	201
phytic Fungus, Microsporum gypseum	281
Draws G a Nieth K F	161
Drews, G., s. Nieth, K. F	101
subtilis	83
subtilis	319
Ebbink, A. G., s. Zevenhuizen, L. P. T. M	75
Eilers, F. I.: Growth Regulation in Coprinus radiatus	353
Falkenberg, B., s. Bothe, H., et al.	291
Fay, P., s. de Vasconcelos, L	271
Tay, F., S. de Vasconcelos, L	223
Friz, R., s. Jüttner, F	440
genase Activity in Azotobacter vinelandii	135
Gaffron, H., s. Paschinger, H., et al.	341
El Ghazzawi, E., s. Andreesen, J. R., et al.	103
Gloe, A., Pfennig, N.: Das Vorkommen von Phytol und Geranylgeraniol in den	103
Bacteriochlorophyllen roter und grüner Schwefelbakterien	02
Cattachelle C. a. Andressen I. P. et al.	$\begin{array}{c} 93 \\ 103 \end{array}$
Gottschalk, G., s. Andreesen, J. R., et al	103
Gull, K., Trinci, A. P. J.: Detection of Areas of wall Differentiation in Fungi	E9.
Using Fluorescent Staining	53
Hader, DP.: Participation of Two Photosystems in the Photo-phonotaxis of	255
Phormidium uncinatum	255
Haider, K., Jagnow, G., Kohnen, R., Lim, S. U.: Abbau chlorierter Benzole,	
Phenole und Cyclohexan-Derivate durch Benzol und Phenol verwertende	400
Bodenbakterien unter aeroben Bedingungen	183
Hanert, H.: Untersuchungen zur individuellen Entwicklungskinetik von	~0
Gallionella ferruginea in statischer Mikrokultur	59
Harrison, J. L., Jones, E. B. G.: Ultrastructural Aspects of the Marine Fungus	204
Japonochytrium sp	305
	0.4
thesis in Escherichia coli	21
Holtzclaw, W. D., Chapman, L. F.: Identification of a pH 6.5 Acetohydroxy-	0.05
acid Synthetase in Bacillus subtilis (Short Communication)	207
Jagnow, G., s. Haider, K., et al	
Janssen, H. M. J., s. Polman, B. J. J., et al	119

IV Contents

	DOM
Jones, E. B. G., s. Harrison, J. L.	305 83
de Jong, M. H., s. van der Drift, C	00
Jordan, T. L., Porter, J. S., Pate, J. L.: Isolation and Characterization of	1
Prosthecae of Asticcacculis biprosthecum Jüttner, F., Friz, R.: Excretion Products of Ochromonas with Special Reference	-
to Pyrrolidone Carboxylic Acid	223
Kivic, P. A., Vesk, M.: Pinocytotic Uptake of Protein from the Reservoir in	
Figling	155
Euglena	233
Kohnen R. s Haider K. et al	183
Kuyper, Ch. M. A., s. Polman, B. J. J., et al	119
Lim. S. U., s. Haider, K., et al.,	183
Lim, S. U., s. Haider, K., et al	
tion in Schizophyllum commune	175
Massalski, A., Trainor, F. R., Shubert, L. E.: Wall Ultrastructure of Scenedes-	
mus Culture N 46	145
Nieth, K. F., Drews, G.: The Protein Patterns of Intracytoplasmic Membranes	
and Reaction Center Particles Isolated from Rhodopseudomonas capsulata	161
Nolteernsting, U., s. Bothe, H., et al	291
Paschinger, H., Paschinger, J., Gaffron, H.: Photochemical Disproportionation	
of Sulfur into Sulfide and Sulfate by Chlorobium limicola forma thio-	
sulfatophilum	341
	341
Pate, J. L., s. Jordan, T. L., et al.	1
Pettersen, R., Knutsen, G.: Uptake of Guanine by Synchronized Chlorella	200
fusca. Characterization of the Transport System in Autospores	233
Pfennig, N., s. Gloe, A	93
Polman, B. J. J., Janssen, H. M. J., Auyper, Ch. M. A.: Activities of DNA	
Degrading Enzymes in the Slime Mold Physarum polycephalum. Evidence	110
for Five Different Enzymes	119
Rodler F & Schütz M	329
Radler, F., s. Schütz, M	040
monas aeruginosa in vivo	319
Robertson, A. G., s. Holms, W. H.	21
Scherbel, G., Behn, W., Arnold, C. G.: Untersuchungen zur genetischen	
Funktion des farblosen Plastiden von Polytoma mirum	205
Schütz, M., Radler, F.: Das Vorkommen von Malatenzym und Malo-Lactat-	
Enzym bei verschiedenen Milchsäurebakterien	329
Schwalb, M. N.: Effect of Adenosine 3',5'-Cyclic Monophosphate on the	
Morphogenesis of Fruit Bodies of Schizophyllum commune	17
Shubert, L. E., s. Massalski, A., et al	145
Spokes, J. R., Walker, N.: Chlorophenol and Chlorobenzoic Acid Co-Metab-	
olism by Different Genera of Soil Bacteria	125
Stock, J. J., s. Dill, B. C.	281
Stolp, H., s. Gadkari, D	135
Trainor, F. R., s. Massalski, A., et al	145
Trinci, A. P. J., s. Gull, K.	53
de Vasconcelos, L., Fay, P.: Nitrogen Metabolism and Ultrastructure in	
Anabaena cylindrica. I. The Effect of Nitrogen Starvation	271
Vesk, M., s. Kivic, P. A.	155
Walker, N., s. Spokes, J. R	125
Wessels, J. G. H., s. Marchant, R.	175
Wilmanns, H., s. Claus, D.	201
Zevenhuizen, L. P. T. M., Ebbink, A. G.: Exocellular Pyruvate-Containing	
Galactoglucan of Achromobacter spp	75

Instructions to Authors

General

Papers should preferably be written in English, but papers in German and French will also be accepted.

A paper should be written only when a piece of work is rounded off. Authors should not be seduced into writing a series of papers on the same subject as results come to hand. It is better to wait until a comprehensive paper can be written.

Two types of papers are accepted by the editors: full-length papers and short communications. No paper should exceed 32 printed pages in length. The text should be as clear and concise as possible. Illustrations should be restricted to the minimum needed to illustrate the points made if they cannot be described in the text, to summarize, or to record important quantitative results. The same data should not be presented in both table and graph forms.

To allow faster publication, the text is made up into pages before the proofs are sent out. Therefore the author should mark in the margin where figures and tables may be inserted, and both form and content of the manuscript should be carefully checked to exclude the need for corrections in proof. A charge will be made for changes introduced after the manuscript has been set in type. However, new results may be given at the end of the paper in a "Note Added in Proof".

Short reports of new results of special interest can be published out of turn as **Short Communications.** They should not be longer than 3 printed pages (= 5 pages of double-spaced typescript), including any tables. The Editors reserve the right to decide what constitutes a short communication.

To ensure rapid and accurate publication it is essential that manuscripts conform to the instructions which follow.

When setting out his manuscript the author should consult a copy of the journal and conform with its normal practice. To speed up editorial scrutiny, manuscripts should be submitted in duplicate, typed in double-line spacing with wide margins.

It is a fundamental condition that manuscripts submitted have not been published before, and the author must undertake not to publish elsewhere at a later date.

Arrangement of the Manuscript

The title page should comprise: title of paper, first name(s) and surname(s) of author(s), laboratory or institution, any footnotes to the title (indicated by asterisks), running title (not more than 67 typewriter strokes, including spaces), address to which proofs are to be sent, and a list of non-standard abbreviations. Standard abbreviations as used in the biochemical literature, e.g. European J. Biochem. 1, 259—266 (1967), need not be defined.

Each paper should be preceded by a brief abstract from which the reader should be able to determine quickly whether the subject of the particular paper relates to his specific needs. Further, if the abstract clearly relates the problem, methods, results and conclusions reported by the article, it can be used immediately by current awareness publications or other information retrieval systems.

The abstract should be as short as possible and should not exceed 200 words, or 100 in the case of short communications. Normally, complete sentences, active verbs and the third person should be used and the abstract should be written in the past tense. Standard nomenclature should be used. Abbreviations should not be used. Unfamiliar terms and symbols should be defined the first time they occur.

Papers not in English should have in addition an English abstract, preceded by an English translation of the title of the paper.

Immediately following the abstract, up to ten key words should be supplied, indicating the scope of the paper.

Taxonomic names (genus, species and strains) and any part of the text requiring emphasis should be marked for italics by underlining.

Descriptions of method and less important parts of the text should be marked for small print.

The introduction (not so headed) should be concise and define the scope of the work in relation to other work done in the same field. It should not as a rule give an exhaustive review of the literature. Materials and Methods should give sufficient detail to allow the experiments to be repeated, but there is no value in detailed descriptions unless of a genuine innovation.

References to the strains under investigation should be given: genus, species and variety name (italics), designation of the strain, collection number or source. When a new bacterial name is proposed please contact an international authority on nomenclature.

Results should be presented with clarity and precision. The discussion should be confined to the interpretation of the results without repeating them.

Footnotes which do not refer to the heading of the article should be numbered consecutively and typed on a separate sheet.

References to the literature in the text should be by author and year; where there are two authors, both should be named, but with three or more only the first author's name plus "et al." need be given. The list at the end of the paper should include only works mentioned in the text and should be arranged alphabetically by name of first author. Citations regarding "unpublished results" or papers "in preparation" are not to be mentioned.

References should be cited as follow: *journal papers*—names and initials of all authors, full title, journal as abbreviated in World Medical Periodicals, volume number, first and last page numbers, year in brackets; *books*—names and initials of all authors, full title, edition, place of publication, publisher and year.

Example of a journal paper citation:

Matthews, Th. R., Niederpruem, D. J.: Differentiation in Coprinus lagopus. II. Histology and ultrastructural aspects of developing primordia. Arch. Mikrobiol. 88, 169—180 (1973)

Example of a book citation:

Esser, K., Kuenen, R.: Genetics of fungi. Berlin-Heidelberg-New York: Springer 1968

Example of an article quoted from a book:

Faith, W. T., Neubeck, C. E., Reese, E. T.: Production and application of enzymes. In: Advances in biochemical engineering, Vol. 1, T. K. Ghose, A. Fiechter, Eds., pp. 77—111. Berlin-Heidelberg-New York: Springer 1971

Responsibility for the accuracy of bibliographic references rests entirely with the author.

Figures are costly and should be used with discretion. An illustration is only justified if it clarifies or reduces the text. Information given in captions should not be repeated in the text. Coloured or previously published illustrations are not usually accepted.

Figures, graphs and tables should always be mentioned in the text and should be numbered with arabic numerals. A brief descriptive legend should be provided for each figure; legends are part of the text and should be appended to it on a separate page. Original drawings and photographs in a form suitable for reproduction should be submitted separately from the text. The top of the figure, the author, and the figure number should be written lightly in soft pencil on the back of each. Copies of the figures should be supplied with each copy of the manuscript.

Illustration copy should comprise:

Original line drawings: Clean lines of uniform thickness drawn in Indian ink, the whole about twice the size of the final block, and should not be larger than A 4 (2.3"×11.7"). Inscriptions should allow for reduction. For example for the figure 1 to be about 2 mm high in the final version, it must be 4 mm high for reduction $\times 1/2$.

Photographs: Sharp, well contrasted glossy prints trimmed at right angles; areas that are not essential should be cut off. Authors should label photographs with Letraset (Instant Lettering). Photos should be of a size to permit reproduction without (or with only slight) reduction within the print area of 108×177 mm ($4^{1}/_{4}" \times 7"$). Where possible, figures should be grouped so as to utilize the full print area.

The degree of reduction will be determined by the publishers, but in general it should be assumed that the same scale of reduction will apply to all figures in the same paper.

Note that inclusive pagination must be given.

Mailing: To avoid creasing please place manuscripts between pieces of cardboard when mailing.